

**From:** Richard Fetzer/R3/USEPA/US  
**Sent:** 5/15/2012 3:40:07 PM  
**To:** Stevie Wilding/ESC/R3/USEPA/US  
**CC:** Cynthia Caporale/ESC/R3/USEPA/US@EPA; Kelley Chase/R3/USEPA/US@EPA; Richard Rupert/R3/USEPA/US  
**Subject:** Re: Dimock SAPs for Supplemental Round 1 and Round 2

Not quite yet. Let me hear back from HQ EU.

-----  
Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA. 18360  
(570) 402 7108

----- Original Message -----

**From:** Stevie Wilding  
**Sent:** 05/15/2012 03:20 PM EDT  
**To:** Richard Fetzer  
**Cc:** Cynthia Caporale; Kelley Chase; Richard Rupert  
**Subject:** Re: Dimock SAPs for Supplemental Round 1 and Round 2

Rich,

The only thing -- very minor -- is to remove 245.1 from Table 1 and Table 2 for the Metals parameter in both plans.

Can I forward the Supplemental Round 1 to Region 2, Region 6, Region 9 and NAREL?

Stevie

**From:** Richard Fetzer/R3/USEPA/US  
**To:** Cynthia Caporale/ESC/R3/USEPA/US@EPA, Wilding.Stevie@epamail.epa.gov  
**Cc:** Kelley Chase/R3/USEPA/US@EPA, Richard Rupert/ESC/R3/USEPA/US  
**Date:** 05/15/2012 02:48 PM  
**Subject:** Dimock SAPs for Supplemental Round 1 and Round 2

Cindy/Stevie,

Attached are the SAPS which we believe address the HQ EU comments. I have sent these versions to them and asked them to confirm that.

Please review these versions and comment on any issues you may have. Before we schedule homes, we want to make sure we don't have any issues to address with the labs.

Once we get confirmation that the HQ EU comments have been addressed and you have not issues with us moving forward, we will schedule home sampling. We are still hoping to make those appointments next week, but we will see how that progresses.

Thanks.

Rich

Richard M. Fetzer

Federal On-Scene Coordinator

100 Gypsum Road

Stroudsburg, PA 18360

(215) 341-6307 [attachment "Dimock\_SAP\_Round1 Supplemental\_12\_0515.pdf" deleted by Stevie Wilding/ESC/R3/USEPA/US] [attachment "Dimock\_SAP\_Round2\_12\_0515.pdf" deleted by Stevie Wilding/ESC/R3/USEPA/US]